5,000 Miles or 4 Months*		10,000 Miles or 8 Months*
Replace engine oil and oil filter         Rotate tires         Additional Maintenance Items for Special Operating Con         Please refer to page 30 of this supplement to determine if you the additional maintenance items.         Lubricate steering knuckle (Land Cruiser)         Lubricate steering knuckle (Land Cruiser)         Lubricate propeller shaft (re-torque bolts) (4WD, except RA         Inspect the following:         Air filter         Brake: linings, discs/drums         Steering linkages         Ball joints and dust covers         Dealer Service Verification	r Toyota requires V4) orque flange bolts) cept Land Cruiser)	Replace engine oil and oil filter         Rotate tires         Additional Maintenance Items for Special Operating Conditions:         Please refer to page 30 of this supplement to determine if your Toyota requires the additional maintenance items.         Lubricate steering knuckle (Land Cruiser)         Lubricate steering knuckle (Land Cruiser)         Lubricate steering knuckle (Land Cruiser)         Lubricate propeller shaft (re-torque bolts) (4WD, except RAV4)         Inspect the following:         Air filter         Brake: linings, discs/drums         Steering linkages         Body/chassis nuts and bolts
Date:		Date:
Mileage:		Mileage:
	7,500 Miles or	or 6 Months*
<ul> <li>Replace engine oil and oil filter</li> <li>Rotate tires</li> </ul>	Dealer Service	Date: Mileage:

\*Use the white background boxes to follow 5,000-mile oil change intervals or the shaded background boxes to follow 7,500-mile oil change intervals. Please refer to page 29 of this supplement for further information and to determine which interval is right for your driving circumstances.

5,000-Mile Oil Change Intervals

15,000 Miles or 12 Months*				
15,000 Miles or 12 Months*				
Brake: linings, discs/drums, lines, hoses Steering linkages Steering gear box for leakage	VD, except RAV4) Drive shaft boots (re-torque flange bolts) (RAV4 and all 4WD, except Land Cruiser) Limited-slip differential oil (RAV4) Automatic transmission and differential oil			
Ball joints and dust covers Additional Maintenance Items for Special O Please refer to page 30 of this supplement to d additional maintenance items.				
<ul> <li>Inspect air filter</li> <li>Replace automatic transmission and differenti</li> <li>Inspect body/chassis nuts and bolts</li> </ul>	al oil			
Dealer Service Verification	Date:			
	Mileage:			

20,000 Miles or 16 Months*	<b>→</b>		25,000 Miles or 20 M	Ionths*
Replace engine oil and oil filter     Rotate tires     Additional Maintenance Items for Special Operating Co Please refer to page 30 of this supplement to determine if you the additional maintenance items.     Lubricate steering knuckle (Land Cruiser)     Lubricate propeller shaft (re-torque bolts) (4WD, except R.     Inspect the following:    Air filter    Brake: linings, discs/drums    Ball joints and dust covers     Dealer Service Verification     Date:	nr Toyota requires W4) torque flange bolts) xcept Land Cruiser)	Please refer to page the additional maint Lubricate steerin Inspect the follor Air filter Brake: linings Steering linka Ball joints and	oil and oil filter enance Items for Special O 2 30 of this supplement to det tenance items. ng knuckle (Land Cruiser) ller shaft (re-torque bolts) (4W wing: s, discs/drums — Drive sh (RAV4 au	Pperating Conditions: termine if your Toyota requires
	22,500 Miles o	r 18 Months*		
<ul> <li>Replace engine oil and oil filter</li> <li>Rotate tires</li> </ul>	Dealer Service	Verification	Date:	-

\*Use the white background boxes to follow 5,000-mile oil change intervals or the shaded background boxes to follow 7,500-mile oil change intervals. Please refer to page 29 of this supplement for further information and to determine which interval is right for your driving circumstances.

5,000-Mile Oil Change Intervals

30,000 Miles	or 24 Months*
<ul> <li>Replace engine oil and oil filter</li> <li>Rotate tires</li> <li>Replace engine air filter</li> <li>Replace non-platinum spark plugs (except Previa, RAV4)<sup>1</sup></li> <li>Replace engine coolant</li> <li>Repack front wheel bearings (except Previa, RAV4, 4Runner, and 4WD Tacoma with ADD)</li> </ul>	<ul> <li>Lubricate steering knuckle (Land Cruiser)</li> <li>Lubricate propeller shaft (re-torque bolts) (4WD, except RAV4)</li> <li>Lubricate drive shaft bushing (Land Cruiser, 4WD T100, and 4WD Tacoma without ADD)</li> <li>Replace limited-slip differential oil (RAV4)</li> </ul>
<ul> <li>Inspect the following:</li> <li>Drive belts (non-ribbed)</li> <li>Fuel lines and connections, fuel tank vapor vent system hoses, fuel tank band</li> <li>Fuel tank cap gasket</li> <li>Supercharger gear oil (Previa)</li> <li>Exhaust pipes and mountings</li> <li>Brake: linings, discs/drums, lines, hose</li> </ul>	<ul> <li>Steering linkages</li> <li>Steering gear box for leakage</li> <li>Ball joints and dust covers</li> <li>Drive shaft boots (re-torque flange bolts) (RAV4 and all 4WD, except Land Cruiser)</li> <li>Transmission, transfer, and differential oil es</li> </ul>
Additional Maintenance Items for Spee Please refer to page 30 of this supplement to maintenance items. Replace transmission, transfer, and differen Inspect body/chassis nuts and bolts	o determine if your Toyota requires the additional
Dealer Service Verification	Date:
	Mileage:

35,000 Miles or 28 Months*		-	40,000 Miles or 32 M	fonths*
Replace engine oil and oil filter     Rotate tires		□ Replace engine □ Rotate tires	e oil and oil filter	
Additional Maintenance Items for Special Operating Courses Please refer to page 30 of this supplement to determine if you the additional maintenance items.				Dperating Conditions: termine if your Toyota requires
<ul> <li>Lubricate steering knuckle (Land Cruiser)</li> <li>Lubricate propeller shaft (re-torque bolts) (4WD, except RA</li> <li>Inspect the following:         <ul> <li>Air filter</li> <li>Brake: linings, discs/drums</li> <li>Steering linkages</li> <li>Ball joints and dust covers</li> </ul> </li> </ul>	orque flange bolts) accept Land Cruiser)	☐ Lubricate prop ☐ Inspect the fol Air filter Brake: linin	gs, discs/drums — Drive sh (RAV4 a	WD, except RAV4) naft boots (re-torque flange bolts) nd all 4WD, except Land Cruiser) iassis nuts and bolts
Dealer Service Verification		Dealer S	Service Verification	
Date:				Date:
Mileage:				Mileage:
	37,500 Miles or 3	30 Months*		
	Dealer Service V	erification	Date:	
□ Replace engine oil and oil filter			Date:	-
□ Rotate tires			Mileage.	

\*Use the white background boxes to follow 5,000-mile oil change intervals or the shaded background boxes to follow 7,500-mile oil change intervals. Please refer to page 29 of this supplement for further information and to determine which interval is right for your driving circumstances.

5,000-Mile Oil Change Intervals

45,000 Miles or 36 Months*			
45,000 Miles or	36 Months*		
Brake: linings, discs/drums, lines, hoses	<ul> <li>Drive shaft boots (re-torque flange bolts) (RAV4 and all 4WD, except Land Cruiser)</li> <li>Automatic transmission and differential oil</li> <li>Limited-slip differential oil (RAV4)</li> </ul> Operating Conditions: determine if your Toyota requires the		
Dealer Service Verification	Date:		

**40** 

50,000 Miles or 40 Months*			55,000 Miles or 44 M	Ionths*
☐ Replace engine oil and oil filter ☐ Rotate tires		□ Replace engine □ Rotate tires	e oil and oil filter	
Additional Maintenance Items for Special Operating Con Please refer to page 30 of this supplement to determine if you the additional maintenance items.				pperating Conditions: termine if your Toyota requires
<ul> <li>Lubricate steering knuckle (Land Cruiser)</li> <li>Lubricate propeller shaft (re-torque bolts) (4WD, except RA</li> <li>Inspect the following:         <ul> <li>Air filter</li> <li>Brake: linings, discs/drums</li> <li>Steering linkages</li> <li>Ball joints and dust covers</li> </ul> </li> </ul>	orque flange bolts) cept Land Cruiser)	☐ Lubricate prop ☐ Inspect the foll Air filter Brake: linin Steering lin Ball joints a	gs, discs/drums Drive sh (RAV4 a kages Body/ch and dust covers	WD, except RAV4) aft boots (re-torque flange bolts) nd all 4WD, except Land Cruiser) assis nuts and bolts
Dealer Service Verification Date:		Dealer S	Service Verification	Date:
Mileage:				Mileage:
	52,500 Miles or	• 42 Months*		
□ Replace engine oil and oil filter	Dealer Service	Verification	Date:	-
□ Rotate tires			Mileage:	

\*Use the white background boxes to follow 5,000-mile oil change intervals or the shaded background boxes to follow 7,500-mile oil change intervals. Please refer to page 29 of this supplement for further information and to determine which interval is right for your driving circumstances.

5,000-Mile Oil Change Intervals

**41** 

60,000 Mile	s or 48 Months*	
60,000 Miles or 48 Months*		
<ul> <li>Replace engine oil and oil filter</li> <li>Rotate tires</li> <li>Replace engine air filter</li> <li>Replace spark plugs<sup>1</sup></li> <li>Replace engine coolant</li> <li>Repack front wheel bearings (except Previa, RAV4, 4Runner, and 4WD Tacoma with ADD)</li> </ul>	<ul> <li>Lubricate steering knuckle (Land Cruiser)</li> <li>Lubricate propeller shaft (re-torque bolts) (4WD, except RAV4)</li> <li>Lubricate drive shaft bushing (Land Cruiser, 4WD T100, and 4WD Tacoma without ADD)</li> <li>Replace limited-slip differential oil (RAV4)</li> </ul>	
<ul> <li>Inspect the following:</li> <li>Valves (audible inspection), adjust if necessary</li> <li>Drive belts</li> <li>Fuel lines and connections, fuel tank vapor vent system hoses, fuel tank band</li> <li>Fuel tank cap gasket</li> <li>Charcoal canister (72 months)<sup>2</sup></li> <li>Supercharger gear oil (Previa)</li> </ul>	<ul> <li>Exhaust pipes and mountings</li> <li>Brake: linings, discs/drums, lines, hoses</li> <li>Steering linkages</li> <li>Steering gear box for leakage</li> <li>Ball joints and dust covers</li> <li>Drive shaft boots (re-torque flange bolts) (RAV4 and all 4WD, except Land Cruiser)</li> <li>Transmission, transfer, and differential oil</li> </ul>	
naintenance items.	<i>ccial Operating Conditions:</i> to determine if your Toyota requires the additional d Cruiser, and Truck/4Runner with 2.7L 4 Cyl.) <sup>3</sup>	
Dealer Service Verification	Date:	
	Mileage:	

<sup>1</sup> Maintenance service is required under the terms of the Emission Control Warranty.

<sup>2</sup> Non-maintenance item except for CA, MA, NY.

<sup>3</sup> Timing belt replacement only required for Special Operating Condition 3 as indicated on page 30 of this supplement.

65,000 Miles or 52 Months*			70,000 Miles or 56 M	fonths*
<ul> <li>□ Replace engine oil and oil filter</li> <li>□ Rotate tires</li> </ul>		☐ Replace engine ☐ Rotate tires	e oil and oil filter	
Additional Maintenance Items for Special Operating Con Please refer to page 30 of this supplement to determine if your the additional maintenance items.				<i>Derating Conditions:</i> termine if your Toyota requires
<ul> <li>Lubricate steering knuckle (Land Cruiser)</li> <li>Lubricate propeller shaft (re-torque bolts) (4WD, except RA</li> <li>Inspect the following:         <ul> <li>Air filter</li> <li>Brake: linings, discs/drums</li> <li>Steering linkages</li> <li>Ball joints and dust covers</li> </ul> </li> </ul>	orque flange bolts) acept Land Cruiser)	□ Lubricate prop □ Inspect the fol □ Air filter □ Brake: linin □ Steering lin	gs, discs/drums — Drive sh (RAV4 a	WD, except RAV4) haft boots (re-torque flange bolts) nd all 4WD, except Land Cruiser) assis nuts and bolts
Dealer Service Verification           Date:		Dealer S	Service Verification	Date:
Mileage:				Mileage:
	67,500 Miles or 5	54 Months*		-
	Dealer Service V	erification	Date	
□ Replace engine oil and oil filter			Date:	-
□ Rotate tires			Mileage:	

\*Use the white background boxes to follow 5,000-mile oil change intervals or the shaded background boxes to follow 7,500-mile oil change intervals. Please refer to page 29 of this supplement for further information and to determine which interval is right for your driving circumstances.

5,000-Mile Oil Change Intervals

75,000 Miles or 60 Months*			
75,000 Miles or 60 Months*			
<ul> <li>Replace engine oil and oil filter</li> <li>Rotate tires</li> <li>Lubricate steering knuckle (Land Cruiser)</li> <li>Lubricate propeller shaft (re-torque bolts)</li> <li>Inspect the following:         <ul> <li>Drive belts</li> <li>Exhaust pipes and mountings</li> <li>Brake: linings, discs/drums, lines, hoses</li> <li>Steering linkages</li> <li>Steering gear box for leakage</li> </ul> </li> </ul>	<ul> <li>(4WD, except RAV4)</li> <li>Ball joints and dust covers</li> <li>Drive shaft boots (re-torque flange bolts) (RAV4 and all 4WD, except Land Cruiser)</li> <li>Limited-slip differential oil (RAV4)</li> <li>Automatic transmission and differential oil</li> </ul>		

Please refer to page 30 of this supplement to determine if your Toyota requires the additional maintenance items.

□ Inspect air filter

 $\hfill\square$  Replace automatic transmission and differential oil

□ Inspect body/chassis nuts and bolts

**Dealer Service Verification** 

80,000 Miles or 64 Months*		•	85,000 Miles or 68 M	Ionths*
Replace engine oil and oil filter     Rotate tires     Additional Maintenance Items for Special Operating Con	aditions:	Replace engin     Rotate tires	e oil and oil filter ntenance Items for Special O	bounting Conditions:
Please refer to page 30 of this supplement to determine if you the additional maintenance items.			ge 30 of this supplement to det	
Lubricate steering knuckle (Land Cruiser)     Lubricate propeller shaft (re-torque bolts) (4WD, except RA     Inspect the following:    Air filter         Brake: linings, discs/drums         Steering linkages         Ball joints and dust covers     Dealer Service Verification	orque flange bolts) acept Land Cruiser)	□ Lubricate prop □ Inspect the fol □ Air filter □ Brake: linin □ Steering lin □ Ball joints	ngs, discs/drums — Drive sh (RAV4 a	WD, except RAV4) naft boots (re-torque flange bolts) nd all 4WD, except Land Cruiser) assis nuts and bolts
				Date:
Mileage:				Mileage:
	82,500 Miles or	66 Months*		-
	Dealer Service V	<i>Terification</i>	Date:	_
□ Replace engine oil and oil filter				
□ Rotate tires			Mileage:	_

\*Use the white background boxes to follow 5,000-mile oil change intervals or the shaded background boxes to follow 7,500-mile oil change intervals. Please refer to page 29 of this supplement for further information and to determine which interval is right for your driving circumstances.

5,000-Mile Oil Change Intervals

90,000 Mile	s or 72 Months*
<ul> <li>Replace engine oil and oil filter</li> <li>Rotate tires</li> <li>Replace engine air filter</li> <li>Replace non-platinum spark plugs (except Previa, RAV4)<sup>1</sup></li> <li>Replace engine coolant</li> <li>Repack front wheel bearings (except Previa, RAV4, 4Runner, and 4WD Tacoma with ADD)</li> </ul>	<ul> <li>Lubricate steering knuckle (Land Cruiser)</li> <li>Lubricate propeller shaft (re-torque bolts) (4WD, except RAV4)</li> <li>Lubricate drive shaft bushing (Land Cruiser, 4WD T100, and 4WD Tacoma without ADD)</li> <li>Replace limited-slip differential oil (RAV4)</li> </ul>
<ul> <li>Inspect the following:</li> <li>Drive belts</li> <li>Fuel lines and connections, fuel tank vapor vent system hoses, fuel tank band</li> <li>Fuel tank cap gasket</li> <li>Supercharger gear oil (Previa)</li> <li>Exhaust pipes and mountings</li> <li>Brake: linings, discs/drums, lines, hose</li> </ul>	Transmission, transfer, and differential oil
Additional Maintenance Items for Spe Please refer to page 30 of this supplement to maintenance items. □ Replace transmission, transfer, and differen □ Inspect body/chassis nuts and bolts	to determine if your Toyota requires the additional
Dealer Service Verification	Date:
	Mileage:

**46** 

95,000 Miles or 76 Months*		100,000 Miles or 80 Months*						
Replace engine oil and oil filter     Rotate tires  Additional Maintenance Items for Special Operating Conditions: Please refer to page 30 of this supplement to determine if your Toyota requires the additional maintenance items.     Lubricate steering knuckle (Land Cruiser)     Lubricate propeller shaft (re-torque bolts) (4WD, except RAV4)		<ul> <li>Replace engine oil and oil filter</li> <li>Rotate tires</li> <li>Additional Maintenance Items for Special Operating Conditions:</li> <li>Please refer to page 30 of this supplement to determine if your Toyota requires the additional maintenance items.</li> <li>Lubricate steering knuckle (Land Cruiser)</li> <li>Lubricate propeller shaft (re-torque bolts) (4WD, except RAV4)</li> </ul>						
<ul> <li>Inspect the following:</li> <li>Air filter</li> <li>Brake: linings, discs/drums</li> <li>Steering linkages</li> <li>Ball joints and dust covers</li> </ul> <ul> <li>Drive shaft boots (re-torque flange bolts) (RAV4 and all 4WD, except Land Cruiser)</li> <li>Body/chassis nuts and bolts</li> </ul>		<ul> <li>Inspect the following:</li> <li>Air filter</li> <li>Brake: linings, discs/drums</li> <li>Steering linkages</li> <li>Ball joints and dust covers</li> </ul> <ul> <li>Drive shaft boots (re-torque flange bolts) (RAV4 and all 4WD, except Land Cruiser)</li> <li>Body/chassis nuts and bolts</li> </ul>						
Dealer Service Verification Date:		Dealer S	Service Verification	Date:				
Mileage:				Mileage:				
97,500 Miles or 78 Months*								
	Dealer Service	Verification	Date:	-				
□ Replace engine oil and oil filter								
□ Rotate tires			Mileage.					

\*Use the white background boxes to follow 5,000-mile oil change intervals or the shaded background boxes to follow 7,500-mile oil change intervals. Please refer to page 29 of this supplement for further information and to determine which interval is right for your driving circumstances.

5,000-Mile Oil Change Intervals

105,000 Miles or	
105,000 Miles or	84 Months*
Exhaust pipes and mountings     Brake: linings, discs/drums, lines, hoses     Steering linkages	WD, except RAV4) Drive shaft boots (re-torque flange bolts) (RAV4 and all 4WD, except Land Cruiser) Limited-slip differential oil (RAV4) Automatic transmission and differential oil
Additional Maintenance Items for Special C	Dperating Conditions:
Please refer to page 30 of this supplement to determaintenance items.	ermine if your Toyota requires the additional
<ul> <li>Inspect engine air filter</li> <li>Replace automatic transmission and differential</li> <li>Inspect body/chassis nuts and bolts</li> </ul>	oil
Dealer Service Verification	Date:
	Mileage:

110,000 Miles or 88 Months*		115,000 Miles or 92 Months*		
Image: Second Stress		I15,000 Miles or 92 Months*         Replace engine oil and oil filter         Rotate tires         Additional Maintenance Items for Special Operating Conditions:         Please refer to page 30 of this supplement to determine if your Toyota requires the additional maintenance items.         Lubricate steering knuckle (Land Cruiser)         Lubricate propeller shaft (re-torque bolts) (4WD, except RAV4)         Inspect the following:         Air filter         Brake: linings, discs/drums         Steering linkages         Ball joints and dust covers         Dealer Service Verification         Date:		
			Mileage:	
	112,500 miles c	or 90 Months*		
<ul> <li>Replace engine oil and oil filter</li> <li>Rotate tires</li> </ul>	Dealer Service	? Verification	Date: Mileage:	

\*Use the white background boxes to follow 5,000-mile oil change intervals or the shaded background boxes to follow 7,500-mile oil change intervals. Please refer to page 29 of this supplement for further information and to determine which interval is right for your driving circumstances.

5,000-Mile Oil Change Intervals

120,000 Miles or 96 Months*		120 Months		
120,000 Miles or 96 Months*		120 Months		
maintenance items.	o determine if your Toyota requires the additional d Cruiser, and Truck/4Runner with 2.7L 4 Cyl.) <sup>3</sup>	Inspect SRS Air Bag Dealer Service Verification	Date: Mileage:	
Dealer Service Verification	Date:			
		<sup>1</sup> Maintenance service is required under the terms of the Emission Control Warranty.		
	Mileage:	<sup>2</sup> Non-maintenance item except for CA, MA, NY. <sup>3</sup> Timing belt replacement only required for Special Operating Condition 3 as indicated		
		on page 30 of this supplement.	operating Condition 5 as indicated	